GRAPHICS		
‡ 		
↓ 1000 000 000 000 000000000000000000000	¢ IS OS O3 O24 O/6 ↔	

Name Measurement 201 EC - eyes close Measurement 201 EO - eyes open	d	Professional stamp
	STATIC ANALYSIS	
Forefoot Backfoot Lateral side	Left 24% > 21% (22) 26% < 29% (28) 50% = 50% (50)	Right 21% > 20% (22) 28% < 30% (28) 50% = 50% (50)
Front side	Front 45% > 41% (50)	Back 55% < 59% (50)
	DVNAMTC ANALVETS	
	DYNAMIC ANALYSIS	
Mean COP Standard deviation	Lateral side -0.61 <  0.05 cm 1.52 >  1.11 cm	Front side -7.54 > -15.46 cm 2.94 > 2.46 cm
Twist Mean speed Area	184.00 > 179.00 0.45 < 0.47 15.22 > 9.34	° (180°) cm/sec mm² (EO<210, EC<638)
Romberg index	162%	(>100%)
	/	
Ме	asurement 2015-04-15 11:40	)
labirintite breve		
Measurement 2016-10-17 00:00		
cellulare in mano		

StabilApp - WARNING! These are just a postural and functional analysis. Diagnosis and treatment are carried out by a medical specialist. © 2014-2020 Rodolfo Zarli